



Testmaster Testing
3060 S Church Street
Burlington, NC 27215

Phone: 336-436-2762

Specimen Number 334-988-9521-0		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
SAMPLE				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name 004465		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 26/10/17		Date of Birth 01/11/90		Sex F		Fasting	
Patient Address				Additional Information			
				NORMAL REPORT			
Date and Time Collected 11/28/16 00:00		Date Entered 11/29/16		Date and Time Reported		Physician Name	NPI
						Physician ID	

Tests Ordered							
Prolactin							

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Prolactin	10.2		ng/mL	4.8 - 23.3	01

01	\$\$	Testmaster Testing	Dir: Report Testing, PhD
		3060 S Church Street, Burlington, NC 27215	
For inquiries, the physician may contact Branch: 800-222-7566 Lab: 336-436-2762			

SAMPLE, 004465		334-988-9521-0	Seq # 0000
-----------------------	--	-----------------------	------------

12/01/16 08:31 ET

DUPLICATE FINAL REPORT

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-762-4344

All Rights Reserved

DOC1 Ver: 1.49



Testmaster Testing
3060 S Church Street
Burlington, NC 27215

Phone: 336-436-2762

Specimen Number 334-988-9522-0		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
SAMPLE				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name 004465		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 26/10/17		Date of Birth 01/11/90		Sex M		Fasting	
Patient Address				Additional Information			
				ABNORMAL REPORT			
Date and Time Collected 11/28/16 00:00		Date Entered 11/29/16		Date and Time Reported		Physician Name	Physician ID

Tests Ordered							
Prolactin							

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Prolactin	25.2	High	ng/mL	4.0 - 15.2	01

01	\$\$	Testmaster Testing	Dir: Report Testing, PhD
		3060 S Church Street, Burlington, NC 27215	
For inquiries, the physician may contact Branch: 800-222-7566 Lab: 336-436-2762			

SAMPLE, 004465		334-988-9522-0	Seq # 0000
-----------------------	--	-----------------------	------------

12/01/16 08:31 ET

DUPLICATE FINAL REPORT

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-762-4344

All Rights Reserved

DOC1 Ver: 1.49