



Testmaster Testing  
3060 S Church Street  
Burlington, NC 27215

Phone: 336-436-2762

Specimen Number <b>247-988-9030-0</b>		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name <b>007245</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 27/04/18		Date of Birth 04/16/89		Sex F		Fasting	
Patient Address				Additional Information			
				NORMAL REPORT			
Date and Time Collected 09/03/16 00:00		Date Entered 09/03/16		Date and Time Reported		Physician Name	
						NPI	
						Physician ID	

Tests Ordered							
Arsenic, Blood							

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Arsenic, Blood	17		ug/L	2 - 23	01
			Detection Limit = 1		

01	BN	LabCorp Burlington	Dir: William F Hancock, MD
		1447 York Court, Burlington, NC 27215-3361	
For inquiries, the physician may contact <b>Branch: 800-222-7566 Lab: 336-436-2762</b>			

<b>SAMPLE REPORT, 007245</b>		<b>247-988-9030-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

09/06/16 12:07 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-762-4344

All Rights Reserved

DOC1 Ver: 1.49



Testmaster Testing  
 3060 S Church Street  
 Burlington, NC 27215

Phone: 336-436-2762

Specimen Number <b>247-988-9031-0</b>		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name <b>007245</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 25/11/15		Date of Birth 09/19/90		Sex M		Fasting	
Patient Address				Additional Information			
				ABNORMAL REPORT			
Date and Time Collected 09/03/16 00:00		Date Entered 09/03/16		Date and Time Reported		Physician Name	Physician ID

Tests Ordered							
Arsenic, Blood							

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
<b>Arsenic, Blood</b>	<b>28</b>	<b>High</b>	ug/L	2 - 23	01
			Detection Limit = 1		

Comment:  
 Seafood consumption within 24 hours of collection can markedly elevate blood arsenic levels.

01	BN	LabCorp Burlington	Dir: William F Hancock, MD
		1447 York Court, Burlington, NC 27215-3361	
For inquiries, the physician may contact <b>Branch: 800-222-7566 Lab: 336-436-2762</b>			

<b>SAMPLE REPORT, 007245</b>		<b>247-988-9031-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

09/06/16 12:08 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-762-4344

All Rights Reserved

DOC1 Ver: 1.49