

**Specimen ID:** 030-988-9000-0  
**Control ID:****Acct #:** 90000999      **Phone:** (336) 436-8645      **Rte:** 00  
LabCorp Test Master  
Test Account  
5450 Millstream Road  
MCLEANSVILLE NC 27301**SAMPLE REPORT, 070034****Patient Details****DOB:** 11/13/1959  
**Age(y/m/d):** 059/02/17  
**Gender:** F      **SSN:**  
**Patient ID:****Specimen Details****Date collected:** 01/30/2019 0000 Local  
**Date received:** 01/30/2019  
**Date entered:** 01/30/2019  
**Date reported:** 01/30/2019 0000 ET**Physician Details****Ordering:**  
**Referring:**  
**ID:**  
**NPI:****General Comments & Additional Information****Clinical Info:** NORMAL REPORT**Ordered Items**

Iodine, Serum or Plasma

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Iodine, Serum or Plasma <sup>A</sup>	56.5		ug/L	40.0 - 92.0	01
			Limit of quantitation = 20		

**Comments:**<sup>A</sup> This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
----	----	--	--------------------------

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**

**Specimen ID:** 030-988-9001-0  
**Control ID:****Acct #:** 90000999      **Phone:** (336) 436-8645      **Rte:** 00LabCorp Test Master  
Test Account  
5450 Millstream Road  
MCLEANSVILLE NC 27301**SAMPLE REPORT, 070034****Patient Details****DOB:** 11/13/1959  
**Age(y/m/d):** 059/02/17  
**Gender:** F      **SSN:**  
**Patient ID:****Specimen Details****Date collected:** 01/30/2019 0000 Local  
**Date received:** 01/30/2019  
**Date entered:** 01/30/2019  
**Date reported:** 01/30/2019 0000 ET**Physician Details****Ordering:**  
**Referring:**  
**ID:**  
**NPI:****General Comments & Additional Information****Clinical Info:** ABNORMAL REPORT**Ordered Items**

Iodine, Serum or Plasma

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Iodine, Serum or Plasma <sup>A</sup>	95.3	High	ug/L	40.0 - 92.0	01
<b>Limit of quantitation = 20</b>					

**Comments:**<sup>A</sup> This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
----	----	--	--------------------------

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**