

Specimen ID: 031-988-9004-0
Control ID:
Acct #: 90000999 **Phone:** (336) 436-8645 **Rte:** 00
 LabCorp Test Master
 Test Account
 5450 Millstream Road
 MCLEANSVILLE NC 27301

SAMPLE REPORT, 072249
Patient Details
DOB: 01/01/1990
Age(y/m/d): 029/00/30
Gender: M **SSN:**
Patient ID:
Specimen Details
Date collected: 01/31/2019 0000 Local
Date received: 01/31/2019
Date entered: 01/31/2019
Date reported: 02/01/2019 0000 ET

Physician Details
Ordering:
Referring:
ID:
NPI:
General Comments & Additional Information
Clinical Info: NORMAL REPORT

Total Urine Volume: 1200ml

Fasting: Not Provided

Ordered Items

Cadmium, Urine

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Cadmium, Urine					
Cadmium, Urine ^A	1.5		ug/L	None detected Detection Limit = 1.0	01
Cadmium,Urine(24 Hr)	1.8		ug/24 hr	0.0 - 2.9	
Creatinine(Crt),U	0.92		g/L	0.30 - 3.00 Detection Limit = 0.10	01
Cadmium/Creat. Ratio	1.6		ug/g creat	0.0 - 1.9 Environmental Exposure: < 2.0 Occupational Exposure: OSHA CD STD < 3.0 BEI < 5.0	

Comments:

^A This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
----	----	--	--------------------------

 For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**

Specimen ID: 031-988-9005-0
Control ID:
Acct #: 90000999 **Phone:** (336) 436-8645 **Rte:** 00
 LabCorp Test Master
 Test Account
 5450 Millstream Road
 MCLEANSVILLE NC 27301

SAMPLE REPORT, 072249
Patient Details
DOB: 01/01/1990
Age(y/m/d): 029/00/30
Gender: M **SSN:**
Patient ID:
Specimen Details
Date collected: 01/31/2019 0000 Local
Date received: 01/31/2019
Date entered: 01/31/2019
Date reported: 02/01/2019 0000 ET

Physician Details
Ordering:
Referring:
ID:
NPI:
General Comments & Additional Information
Clinical Info: ABNORMAL REPORT

Total Urine Volume: 1200ml

Fasting: Not Provided

Ordered Items

Cadmium, Urine

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Cadmium, Urine					
Cadmium, Urine ^A	12.5		ug/L	None detected Detection Limit = 1.0	01
Cadmium,Urine(24 Hr)	15.0	High	ug/24 hr	0.0 - 2.9	
Creatinine (Crt) ,U	0.85		g/L	0.30 - 3.00 Detection Limit = 0.10	01
Cadmium/Creat. Ratio	14.7	High	ug/g creat	0.0 - 1.9	
			Environmental Exposure:	< 2.0	
			Occupational Exposure:		
			OSHA CD STD	< 3.0	
			BEI	< 5.0	

Comments:

^A This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
----	----	--	--------------------------

 For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**