

LabCorp

PATIENT INFORMATION

REPORT STATUS: FINAL

SPECIMEN INFORMATION

ACCOUNT NO:
SPECIMEN:
REQUISITION:
Lab ref no:

DOB:
AGE:
GENDER:
FASTING: No
PATIENT ID:

ORDERING PHYSICIAN

CLIENT INFORMATION

COLLECTED:
RECEIVED:
REPORTED:

Clinical Info:
SRC:UR

| Test Name | Result | Flag | Reference Range | Lab |
|---|--------------|--------|--------------------|-----|
| Hepatitis B Surface Antigen | | | | |
| HBsAg Screen | Negative | NORMAL | Negative | 02 |
| Hepatitis A Antibody, IgM | | | | |
| Hep A Ab, IgM | Negative | NORMAL | Negative | 02 |
| Rapid Plasma Reagin (RPR) Test With Reflex to Quantitative RPR and Confirmatory TP-PA | | | | |
| RPR | Non Reactive | NORMAL | Non Reactive | 02 |
| Human Immunodeficiency Virus 1/0/2 (HIV-1/0/2) Antigen/Antibody (Fourth Generation) Preliminary Test With Cascade Reflex to Supplementary Testing | | | | |
| HIV Screen 4th Generation wRfx | Non Reactive | NORMAL | Non Reactive | 02 |
| Hepatitis C Virus (HCV) Antibody | | | | |
| Hep C Virus Ab | <0.1 | NORMAL | 0.0-0.9 s/co ratio | 02 |
| Negative: < 0.8 Indeterminate: 0.8 - 0.9 Positive: > 0.9 . The CDC recommends that a positive HCV antibody result be followed up with a HCV Nucleic Acid Amplification test (550713). | | | | |
| HSV ½ IgG | | | | |
| HSV 1 IgG, Type Spec | <0.91 | NORMAL | 0.00-0.90 index | 02 |
| Negative <0.91 Equivocal 0.91 - 1.09 Positive >1.09 Note: Negative indicates no antibodies detected to HSV-1. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-1. | | | | |
| HSV 2 IgG, Type Spec | <0.91 | NORMAL | 0.00-0.90 index | 02 |
| Negative <0.91 Equivocal 0.91 - 1.09 Positive >1.09 Note: Negative indicates no antibodies detected to HSV-2. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-2. | | | | |
| Chlamydia/Gonococcus, Nucleic Acid Amplification (NAA) | | | | |
| Chlamydia trachomatis, NAA | Negative | NORMAL | Negative | 01 |
| Neisseria gonorrhoeae, NAA | Negative | NORMAL | Negative | 01 |

Performing Laboratory Information: