

Specimen ID: 052-988-3224-0
Control ID:

Acct #: 90000999 **Phone:** (336) 436-8645 **Rte:** 00
LabCorp Test Master
Test Account
3060 South Church Street
Burlington NC 27215



SAMPLE REPORT, 163253

Patient Details

DOB: 01/10/1980
Age(y/m/d): 037/01/11
Gender: F **SSN:**
Patient ID:

Specimen Details

Date collected: 02/21/2017 0000 Local
Date entered: 02/21/2017
Date reported: 00/00/0000 0000 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Clinical Info: PROTECTED REPORT

Ordered Items

Tetanus/Diphtheria Ab

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

Tetanus/Diphtheria Ab

Tetanus Antitoxoid IgG Ab	5.01		IU/mL	<0.10	01
Interpretation:					
				Non-Protective	<0.10
				Protective	>=0.10

Results for this test are for research purposes only by the assay's manufacturer. The performance characteristics of this product have not been established. Results should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

Diphtheria Antitoxoid Ab	1.25		IU/mL	<0.10	01
Interpretation:					
				Non-Protective	<0.10
				Protective	>=0.10

For research use only.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: William F Hancock, MD
----	----	--	----------------------------

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**

Specimen ID: 052-988-3223-0
Control ID:

Acct #: 90000999 **Phone:** (336) 436-8645 **Rte:** 00
LabCorp Test Master
Test Account
3060 South Church Street
Burlington NC 27215



SAMPLE REPORT, 163253

Patient Details

DOB: 01/10/1980
Age(y/m/d): 037/01/11
Gender: F **SSN:**
Patient ID:

Specimen Details

Date collected: 02/21/2017 0000 Local
Date entered: 02/21/2017
Date reported: 00/00/0000 0000 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Clinical Info: NON-PROTECTED REPORT

Ordered Items

Tetanus/Diphtheria Ab

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

Tetanus/Diphtheria Ab

Tetanus Antitoxoid IgG Ab	0.08	Low	IU/mL	<0.10	01
---------------------------	------	-----	-------	-------	----

Interpretation:
Non-Protective <0.10
Protective >=0.10

Results for this test are for research purposes only by the assay's manufacturer. The performance characteristics of this product have not been established. Results should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

Diphtheria Antitoxoid Ab	0.08	Low	IU/mL	<0.10	01
--------------------------	------	-----	-------	-------	----

Interpretation:
Non-Protective <0.10
Protective >=0.10

For research use only.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: William F Hancock, MD
----	----	--	----------------------------

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**