

**Specimen ID:** 052-988-3233-0  
**Control ID:**

**Acct #:** 90000999      **Phone:** (336) 436-8645      **Rte:** 00  
LabCorp Test Master  
Test Account  
3060 South Church Street  
Burlington NC 27215

**SAMPLE REPORT, 164657**

**Patient Details**

**DOB:** 01/10/1980  
**Age(y/m/d):** 037/01/11  
**Gender:** F      **SSN:**  
**Patient ID:**

**Specimen Details**

**Date collected:** 02/21/2017 0000 Local  
**Date entered:** 02/21/2017  
**Date reported:** 00/00/0000 0000 ET

**Physician Details**

**Ordering:**  
**Referring:**  
**ID:**  
**NPI:**

**General Comments & Additional Information**

**Clinical Info:** NORMAL REPORT

**Ordered Items**

Saccharomyces cerevisiae Panel

| TESTS                                 | RESULT | FLAG | UNITS     | REFERENCE INTERVAL | LAB |
|---------------------------------------|--------|------|-----------|--------------------|-----|
| <b>Saccharomyces cerevisiae Panel</b> |        |      |           |                    |     |
| Saccharomyces cerevisiae, IgG         | 16.0   |      | Units     | 0.0 - 24.9         | 01  |
|                                       |        |      | Negative  | <20.0              |     |
|                                       |        |      | Equivocal | 20.1 - 24.9        |     |
|                                       |        |      | Positive  | >or= 25.0          |     |
| Saccharomyces cerevisiae, IgA         | 17.0   |      | Units     | 0.0 - 24.9         | 01  |
|                                       |        |      | Negative  | <20.0              |     |
|                                       |        |      | Equivocal | 20.1 - 24.9        |     |
|                                       |        |      | Positive  | >or= 25.0          |     |

IgA and IgG antibody testing for *S. cerevisiae* is useful adjunct testing for differentiating Crohn's disease and ulcerative colitis. Close to 80% of Crohn's disease patients are positive for either IgA or IgG. In ulcerative colitis, less than 15% are positive for IgG and less than 2% are positive for IgA. Fewer than 5% are positive for either IgG or IgA antibody, and no healthy controls had antibody for both.

|    |    |  |                            |
|----|----|--|----------------------------|
| 01 | BN | LabCorp Burlington<br>1447 York Court, Burlington, NC 27215-3361 | Dir: William F Hancock, MD |
|----|----|--|----------------------------|

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**

**Specimen ID:** 052-988-3234-0  
**Control ID:**

**Acct #:** 90000999      **Phone:** (336) 436-8645      **Rte:** 00  
LabCorp Test Master  
Test Account  
3060 South Church Street  
Burlington NC 27215



**SAMPLE REPORT, 164657**

**Patient Details**

**DOB:** 01/10/1980  
**Age(y/m/d):** 037/01/11  
**Gender:** F      **SSN:**  
**Patient ID:**

**Specimen Details**

**Date collected:** 02/21/2017 0000 Local  
**Date entered:** 02/21/2017  
**Date reported:** 00/00/0000 0000 ET

**Physician Details**

**Ordering:**  
**Referring:**  
**ID:**  
**NPI:**

**General Comments & Additional Information**

**Clinical Info:** ABNORMAL REPORT

**Ordered Items**

Saccharomyces cerevisiae Panel

| TESTS                                 | RESULT | FLAG | UNITS     | REFERENCE INTERVAL | LAB |
|---------------------------------------|--------|------|-----------|--------------------|-----|
| <b>Saccharomyces cerevisiae Panel</b> |        |      |           |                    |     |
| <b>Saccharomyces cerevisiae, IgG</b>  |        |      |           |                    |     |
|                                       | 35.8   | High | Units     | 0.0 - 24.9         | 01  |
|                                       |        |      | Negative  | <20.0              |     |
|                                       |        |      | Equivocal | 20.1 - 24.9        |     |
|                                       |        |      | Positive  | >or= 25.0          |     |
| <b>Saccharomyces cerevisiae, IgA</b>  |        |      |           |                    |     |
|                                       | 33.6   | High | Units     | 0.0 - 24.9         | 01  |
|                                       |        |      | Negative  | <20.0              |     |
|                                       |        |      | Equivocal | 20.1 - 24.9        |     |
|                                       |        |      | Positive  | >or= 25.0          |     |

IgA and IgG antibody testing for *S. cerevisiae* is useful adjunct testing for differentiating Crohn's disease and ulcerative colitis. Close to 80% of Crohn's disease patients are positive for either IgA or IgG. In ulcerative colitis, less than 15% are positive for IgG and less than 2% are positive for IgA. Fewer than 5% are positive for either IgG or IgA antibody, and no healthy controls had antibody for both.

|    |    |  |                            |
|----|----|--|----------------------------|
| 01 | BN | LabCorp Burlington<br>1447 York Court, Burlington, NC 27215-3361 | Dir: William F Hancock, MD |
|----|----|--|----------------------------|

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**