

LabCorp

PATIENT INFORMATION

REPORT STATUS: FINAL

SPECIMEN INFORMATION

ACCOUNT NO:

SPECIMEN:

REQUISITION:

Lab ref no:

DOB:

AGE:

GENDER:

FASTING: No

PATIENT ID:

ORDERING PHYSICIAN

CLIENT INFORMATION

COLLECTED:

RECEIVED:

REPORTED:

Clinical Info:

UPDATED ACCT #

OFFICE MANAGER SRC:

Test Name	Result	Flag	Reference Range	Lab
Rapid Plasma Reagin (RPR) Test With Reflex to Quantitative RPR and Confirmatory TP-PA				
RPR	Non Reactive	NORMAL	Non Reactive	01
Human Immunodeficiency Virus 1/0/2 (HIV-1/0/2) Antigen/Antibody (Fourth Generation) Preliminary Test With Cascade Reflex to Supplementary Testing				
HIV Screen 4th Generation wRfx	Non Reactive	NORMAL	Non Reactive	01
Hepatitis C Virus (HCV) Antibody				
Hep C Virus Ab	<0.1	NORMAL	0.0-0.9 s/co ratio	01
Negative: < 0.8 Indeterminate: 0.8 - 0.9 Positive: > 0.9 . The CDC recommends that a positive HCV antibody result be followed up with a HCV Nucleic Acid Amplification test (550713). A duplicate report has been generated due to demographic updates.				
HSV ½ IgG				
HSV 1 IgG, Type Spec	25.10	HIGH	0.00-0.90 index	01
Negative <0.91 Equivocal 0.91 - 1.09 Positive >1.09 Note: Negative indicates no antibodies detected to HSV-1. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-1.				
HSV 2 IgG, Type Spec	<0.91	NORMAL	0.00-0.90 index	01
Negative <0.91 Equivocal 0.91 - 1.09 Positive >1.09 Note: Negative indicates no antibodies detected to HSV-2. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-2.				
Chlamydia/Gonococcus, Nucleic Acid Amplification (NAA)				
Chlamydia trachomatis, NAA	Negative	NORMAL	Negative	01
Neisseria gonorrhoeae, NAA	Negative	NORMAL	Negative	01
Trichomonas vaginalis, NAA				
Trich vag by NAA	Negative	NORMAL	Negative	02

Performing Laboratory Information: